



MATERIAL SAFETY DATA SHEET

HAZARD RATINGS

Health: 2
 Flammability: 2
 Reactivity: 0
 Personal Protection: B

NOTICE: Judgment may be based on indirect test and technical literature. The OSHA Hazard Communication Standard only requires MSDS's and special labeling for materials defined as "HAZARDOUS"; see 29 CFR 1910.1200 (c). This document may be about a product which is NOT hazardous but is provided as information for our customers. See references for information.

SECTION I.

PRODUCT IDENTIFICATION

Product Identifier: Prowipe
 Product VOC: 99.65%
 Manufactured For: Sundry Tech
 PO Box 427
 Frederick, PA 19435

Product Identification #(PIF): 1477
 Emergency Telephone #: 1-800-255-3924
 General Information #: 610-754-7283
 Prepared by: Sonya Lockhart
 Date Prepared: November 3, 2005

SECTION II.

HAZARDOUS INGREDIENTS

	CAS #	OSHA/PEL	TLV	STEL	max. %
1. Ethylene glycol monopropyl ether	2807-30-9	NE		NE NE	37
2. Dimethyl Glutarate	1119-40-0	NE		NE NE	25
3. Dipropylene glycol methyl ether	34590-94-8	NE	100 ppm	150 ppm	14
4. Propylene glycol monomethyl ether	107-98-2	100 ppm	100 ppm	150 ppm	14
5. Dimethyl Adipate	627-93-0	NE		NE NE	8
6. Dimethyl Succinate	106-65-0	NE		NE NE	8

SECTION III.

HEALTH HAZARD INFORMATION

.....**Primary Routes of Entry:** X Skin X Eyes X Inhalation Ingestion

◆ *Effects of overexposure:*

- Eye Contact: Liquid may cause eye irritation with redness, pain and tearing. Can injure eye tissue.
- Skin Contact: May cause irritation. Prolonged or repeated contact may cause dermatitis.
- Inhalation: Vapors may cause irritation to nose, throat, and respiratory tract. High vapor concentrations may result in CNS depression Breathing large amounts may be harmful.
- Ingestion: May cause diarrhea, nausea and vomiting, irritation of mouth and throat, and CNS depression. Swallowing large amounts may be harmful.

SECTION IV.

EMERGENCY FIRST AID

- ◆ *Eyes:* Flush well with water for at least 15 minutes. Get medical help if irritation persists.
- ◆ *Skin:* Wash with soap and water for 15 minutes. Seek medical attention if irritation persists.
- ◆ *Inhalation:* Move to fresh air.
- ◆ *Ingestion:* Drink lots of water to dilute, **DO NOT INDUCE VOMITING.** Get medical help.

SECTION V.

FIRE & EXPLOSION DATA

Flammability: COMBUSTIBLE
 Means of extinction: Water spray, dry chemicals, CO₂.
 Autoignition Temperature: ND
 Hazardous combustion products: Carbon monoxide and carbon dioxide.
 ◆ *Special Fire Fighting Procedures:* Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.
 ◆ *Unusual Fire Fighting Hazard:* Vapor forms explosive mixture with air. Vapors are heavier than air and may travel along the ground and ignited by heat, pilot lights or other ignition sources.

Flash Point: 120° F
 Upper Flammability Limit (% by volume): ND
 Lower Flammability Limit (% by volume): ND

SECTION VI.**REACTIVITY DATA**

Chemical stability: Stable. Can form potentially explosive peroxides upon long standing in air.

Hazardous polymerization: Will not occur.

Incompatibility with other substances: Strong oxidizing agents, acids and alkalies.

Reactivity, and under what conditions? Heat, static electricity, sparks and flames.

Hazardous decomposition products: Carbon dioxide and carbon monoxide.

SECTION VII.**HANDLING & STORAGE**

Storage: Keep container closed, when not in use. Keep away from heat, flame, or sunlight. Protect from physical damage.

Handling: Do not premix with other chemicals. Exercise reasonable care and precaution. Keep out of reach of children.

SECTION VIII.**EXPOSURE CONTROL/PERSONAL PROTECTION**

Personal protective equipment: Use rubber gloves and eye protection.

Gloves (specify): Chemical resistant gloves

Respirator (specify): NIOSH, if ventilation inadequate

Eye (specify): Chemical resistant eye ware

Footwear (specify): Chemical resistant shoes

Clothing (specify): Normal materials handling clothing.

Other: Always provide adequate ventilation.

SECTION IX.**SPECIAL PRECAUTIONS/ OTHER COMMENTS**

Carefully read all instructions on label before handling this product. "FOR INDUSTRIAL USE ONLY"

SECTION X.**PHYSICAL DATA**

Boiling point: >212°F

Vapor Density: (Air = 1): ND

Specific Gravity, (water + 1.0): 0.975

pH, Neat: ND

% Volatile/ volume: 99.65%

Vapor Pressure: ND

Solubility: Complete

Evaporation Rate: slower than butyl acetate

Description/odor: Colorless clear liquid with cherry odor.

SECTION XI.**TOXICOLOGICAL INFORMATION**

◆ Effects of acute exposure to product: Liquid and vapor irritating to eyes, skin and respiratory tract.

◆ Effects of chronic exposure to product: Prolonged exposure may lead to dermatitis and CNS depression.

SECTION XII.**ECOLOGICAL INFORMATION**

Dibasic ester - 96 hour LC50 – Fathead minnows: 18-24 mg/L (moderately toxic).

SECTION XIII.**ACCIDENTAL RELEASE MEASURES/ DISPOSAL INFORMATION**

Large spills cannot occur because of packaging. Eliminate all ignition sources. Material should be soaked onto absorbent and shoveled into metal waste containers. Dispose of contaminated absorbent material in accordance to local, state and federal regulations. Do not release to open, public waters.

SECTION XIV.**TRANSPORT INFORMATION**

Hazardous according to Table 49 CFR 172.101: **COMBUSTIBLE LIQUID, N.O.S. (1-Methoxy-2-Propanol, Ethylene Glycol Monopropyl Ether), COMBUSTIBLE LIQUID, UN 1993, III.**

Combustible Liquid: This material is not regulated under 49 CFR if in a container of 119 gallon capacity or less.

SECTION XV.**REGULATORY INFORMATION****SARA TITLE III REPORTING REQUIREMENTS**

SECTION 302: Not listed

SECTION 311: Acute and Chronic Health and Fire Hazard

SECTION 312: Acute and Chronic Health and Fire Hazard

SECTION 313: Listed (Ethylene glycol monopropyl ether)

CERCLA: Not Reportable.

RCRA: A waste containing this product may have the RCRA hazardous waste no. D001 (Ignitable) (40 CFR 261.22).

SECTION XVI.

ADDITIONAL INFORMATION

NONE.....

The information contained herein is based on data available to us and is believed to be correct. We make no warranty, however, expressed or implied regarding the accuracy of these data or the results obtained from the use thereof.

Regulatory Standards: DOT TITLE 49, Code of Federal Regulations 172.101: Parts 100 to 177, Revised 10/1/92.

SUPER FUND AMENDMENTS REAUTHORIZATION ACT OF 1986, TITLE III TOXIC SUBSTANCE CONTROL ACT LIST (TSCA)-
INGREDIENTS LISTED. REGISTRY OF TOXIC EFFECTS OF CHEMICAL SUBSTANCES NATIONAL TOXICOLOGICAL PROGRAM
(NTP) REPORT OF CARCINOGENS INTERNATIONAL AGENCY FOR RESEARCH ON CANCER (IARC) MONOGRAPHS,
OCCUPATIONAL SAFETY & HEALTH REGULATIONS. CODE OF FED. REGS. FOOD & DRUG, 21 PARTS 170 to 199, Revised 4/1/91,
173.310.